

# DIALYSIS CHAIR

JITENDRA TRIPATHI - 9999 599 615



Our high-performance Dialysis Chair features three electric motors and lifting columns, seamlessly adjusting patients into their desired positions, including the emergency Trendelenburg stance, for safety and comfort. Designed for extended hemodialysis sessions, it boasts soft cushioning and disinfectant-resistant upholstery for impeccable hygiene.





01



02



Certification & Inspection  
ISO 10002 : 2018

ISO 9001 : 2015

A  
Make In India  
Initiative

## TOP

Top Design	Four Piece articulating top
Top Cushion Measurements	1890 x 560 mm (flat bed position) / 1540 x 560 (chair position)
Foam	75 mm mixed layer for comfortable seating
Upholstery	PVC Coated Fabric
Frame	Mild Steel Construction Powder Coated Frame & ABS Molded Parts
Adjustment (Back Rest)	Linak Denmark Quick Release Actuator
Adjustment (Leg Rest)	Linak Actuator
Adjustment (Height)	Linak Lifting Column
Adjustment (Armrest)	Detachable and adjustable armrests suitable for blood transfusion
Foot Rest	Adjustable/lockable foot pedestal to adjust according to patient's height

## BASE & FRAME

Base	Powder Coated Metal Frame
Frame Structure	Tubular frame with ABS Covers
Castor Wheels	Lockable Castor Wheels for easy mobility
Height Minimum	550 mm (flat bed position) / 1270 mm (chair position)
Height Maximum	850 mm (flat bed position) / 1560 mm (chair position)
Tilt Maximum	20 degrees
Lifting Capacity	Upto 360 kgs

## UPHOLSTERY


Type	Disinfectant Resistant / Chlorine Water Resistant / Abrasion / Flame / UV Resistant 1.10mm coated fabric with 2% Nano high-tech compound, 82% PV Comopound and 16% Knitted Polyester
Colour Options	25 colour options
Weight	820 gsm +/- 30 g/m2
Abrasion	ISO 12947-12 Kpa 2,00,000 Cycles

## ACCESSORIES

Head Cushion Support	Included with table
Adjustable phone & tablet holder	Included with table
Food Tray	Included with chair
IV Stand Mount	Provision to attach an IV Stand

## GUARANTEES


Structure	5 year against any manufacturing defects
Upholstery	1 year against any manufacturing defects
Motors	4 years on Linak Motors




All dimensions are in mm



## MAXIMUM HEIGHT



## MINIMUM HEIGHT



All dimensions are in mm

# MERINO INTERNATIONAL

*Ahead... in medical technology innovations*

B-40, (G.F) Pal Mohan Plaza, 11/56, Main Dosh Bandhu Gupta  
Road, Karol Bagh, New Delhi - 110 005 (INDIA)

Tel +91 11 455 88229, 2352 0809 Tele Fax +91 11 2352 0809 Cell +91 999 999 9615  
E-mail [merinointernational@gmail.com](mailto:merinointernational@gmail.com) Web. [www.merinointernational.com](http://www.merinointernational.com)

